

INNOVATION IN COMPREHENSIVE SECURITY



SECURITY DIVISION

BULLETPROOF VESTS
VEHICLE ARMOR
ANTI RIOT EQUIPMENT
BALLISTIC HELMETS AND SHIELDS



AMBULANCE & SPECIAL VEHICLE DIVISION

MEDIUM AND HIGH
COMPLEXITY AMBULANCES



SPECIAL DIVISION - COVID-19

DETECTION AND DISINFECTION BOOTHS
SECURITY ITEMS FOR MEDICAL STAFF




Since 1999, ARMORING SYSTEMS S.A. has provided products and services of the highest quality. Our international experience, coupled with our security know-how and our use of the most technologically advanced materials, turned us, over 20 years ago, into leaders of the Argentine market and one of the main companies in the regional market in all aspects of automobile armoring.

As security experts, we have introduced a new personal protection concept: supplying items in compliance with high resistance standards, adapted to the specific operational needs of users in every force and agency that purchases from us.

We use internationally recognized materials in everything related to the market of bulletproof vests, protective equipment for riot control, helmets with various features, ballistic shields and other items frequently used by different security forces.

The knowledge we have gained in the area of safety car preparation has also led us to develop emergency vehicles. These projects have brought us together with specialized partners in the region, ensuring the supply of ambulances with all the internationally required features with regard to quality, equipment, certifications and delivery times.



In response to global needs arising from COVID-19, we have forged strategic alliances with companies specializing in a range of areas. This has enabled us to provide, both to governments and in the private market, specific materials and products to face the pandemic.

Today, with 20 years of commercial experience, ARMORING SYSTEMS offers high-quality products aimed at meeting the needs of demanding customers in Argentina and international markets, working in concert to achieve common goals.



BULLETPROOF VESTS

ARMORING

**PROTECTION LEVELS RB2 & RB3
RENAR STANDARD MA.01-A1**



PANEL WEIGHTS AND DIMENSIONS

RB2 WEIGHT: 2,000 g, thickness: 4.5 mm.

RB3 WEIGHT: 2,400 g, thickness: 5.5 mm.

In size L (large), taken as reference for standard weight, our vest weighs 2,000 g (two thousand grams) in the RB2 model and weighs 2,400 g (two thousand four hundred grams) in the RB3 model, with a maximum tolerance of an additional 100 g (one hundred grams).

BALLISTIC PANEL

Flexible 100% aramid composite plate. When delivered to the user, it is lined with the same material as the ballistic panels and heat-sealed for humidity prevention.

BALLISTIC VERIFICATION

The anti-trauma plate in our vests is within the accepted standard of approval.

COVER FABRICS

The outer covers are made of 600 denier polyester, with DWR coating, UC, urethane waterproofing, washable and flexible.

The ballistic panels are lined with non-rip nylon, 200 denier minimum, highly impermeable and breathable, with smart behavior, heat-sealed, seamless and in grey.

IDENTIFICATION

On the back, ARMORING vests feature a patch showing the word "POLICE" in a font chosen by the customer, in white reflective letters on a background of the same color as the outer fabric.

ZIPPERS & FASTENERS

Our vests offer a zipper on each side, non-elastic, 23 to 26 cm wide, with the necessary length for a proper and secure fit. The Velcro strap along the entire edge, not shorter than 9 cm wide, can be attached to multiple Velcro patches on the front panel, making them adaptable to various torso sizes.

The dimensions of the cover in our vests allow them to accommodate ballistic panels while preventing the panels from moving sideways or being pulled downward by their own weight.



WARRANTY

BALLISTIC MATERIAL WARRANTY: The vests are guaranteed by the manufacturer of the ballistic protection fiber (Kevlar, Dyneema, Gold Flex, etc.). The manufacturer guarantees that the material used to produce the ballistic fabric for manufacturing bulletproof vests is brand new and neither remanufactured nor recycled. In turn, this fiber is guaranteed by the manufacturer for a period of 5 (five) years, starting on the month and year when the bulletproof vests are delivered.

NON-BALLISTIC MATERIAL AND MANUFACTURING WARRANTY

The vest manufacturer offers a warranty for the product, for a period of 2 (two) years, against (non-ballistic) material and manufacturing defects.

SIZES

The vests are available in 4 sizes: S, M, L and XL.

MANUFACTURING, IMPORT AND DELIVERY TIMES

The manufacturing, import and delivery of the vests normally requires 60 to 90 days, depending on the commitments made at the time of purchase.



VEHICLE ARMOR

ARMORING

FIRST-TIER TECHNOLOGY IN TOP BRAND VEHICLES


Through our market experience, technical know-how and permanent collaboration with top brands, we have acquired unique knowledge of vehicle protection techniques, always preserving the vehicle's original features as well as its performance, maneuverability, speed and appearance on the inside and outside.

The security level reached by the vehicles we armor is as important to us as the performance and aesthetics achieved through our full protection process.

AFTER-SALES SERVICES: PROTECTION BEFORE, DURING AND AFTER

- Monitoring, advice and custom maintenance of vehicle armor at our workshop, with a technical-mechanical assistance service for solving any and all problems.
- Mechanical workshop: We offer technical support, paintwork and premium light mechanical maintenance for all brands.
- VIP custody service for executives: Permanent and personalized security through an Armoring partner company.
- Evasive driving training. Armoring offers you training for proper defensive driving. Learn how to act on your vehicle during a risk situation.
- Purchase, sale and lease of armored cars. Permanent wide-ranging offering of armored vehicles—top brands and assorted models, both new and used.

FULL ARMOR, FOR ABSOLUTE PROTECTION



HIGH-QUALITY EQUIPMENT

ANTI-BALLISTIC GLASS

Armoring's glass has earned the highest international ratings, awarded by renowned labs in Europe and the United States, not only for their anti-ballistic performance, but also for their finish, screen printing, optical quality, curving and counter-curving, overall aspect and fit.



TIRES READY FOR ANYTHING

Armoring regularly relies on the tire protection system known as anti-slide strips. We additionally offer run-flat tires.

OPAQUE MATERIAL FOR FULL PROTECTION

We use opaque material in the armor for the car body, side panels, roof, pedal set, trunk and hood. Our ballistic panels are flexible and ultra-lightweight, ensuring optimal ballistic protection, with a weight ten times lower than that of ballistic steel.

The ballistic resistance of our ballistic panels is 20% higher than the level required in the standard set by ANMAC (formerly, RENAR).

Our comprehensive armoring process was designed to transform the vehicle into a completely protected space, eliminating "ballistic gaps" to maximize user security.

COMPLEMENTARY ACCESSORIES

We can supply and install, as requested by the customer, a wide range of accessories such as special lights, sirens, megaphone and/or intercom system, bumper protection, tinted glass, glass with steel inserts, among others.

BALLISTIC RESISTANCE LEVELS

Please find below a table showing the ballistic resistance levels of our armoring services in accordance with ANMAC, Argentina's National Agency of Controlled Materials (formerly, RENAR).

	Ballistic resistance 2 (RB2)	Ballistic resistance 3 (RB3)	Ballistic resistance 4 (RB4)
Weapon calibers resisted	.22 LR - .38 Special - 25", 32" projectiles. high-velocity .357 mg, and mid-velocity 9 mm projectiles.	RB2 + high-velocity .44 mg and 9 mm projectiles.	RB3 + 7.62 mm projectiles. NATO (.308 Winchester) and 5.56 mm. NATO (.223 Remington) and 12 gauge slug.
Glass thickness	17 mm.	18 ó 21 mm.	40 mm.
Added weight	150 to 170 kg.	190 to 250 kg.	400 to 600 kg. depending on the vehicle.

FULL TACTICAL EQUIPMENT FOR RIOT CONTROL **ARMORING**

IMPACT PRO / IMPRV2000 / IMPACT PRO V2, FAST DEPLOYMENT RIOT CONTROL SYSTEM

Our Impact Pro V2 is versatile, comfortable and easy to wear, with a rigid Adamantek frame with three 3 mm panels, both on the front and on the back. It features Adamantek's rigid panel technology and design in the entire protection system. Its design provides flexibility, durability, protection, comfort and body fit.



SYSTEM FEATURES:

- Velcro-attachable and fully adjustable Cordura nylon connector.
- Impact absorption foam with breathable polyester fabric, for protecting the user without sacrificing comfort.
- Opaque black finish to prevent light reflection.
- Impact foam—reinforced, padded and highly durable—for inner support.
- Adjustable multi-strap system in elastic nylon and Velcro for a secure fit.
- Adjustable and removable boot protection.

INCLUDING:

- Superior protection for torso and shoulders. [IMPRV2001]
- Arm and elbow protection. [IMPRV2002]
- Groin and thigh protection. [IMPRV2003]
- Knee, lower leg and foot protection. [IMPRV2004]
- Equipment carrier bag.



LOW-PROFILE GLOVES FOR RIOT CONTROL

Gloves with reinforced palms for superior grip and premature wear prevention.

- Made of 100% leather of maximum weight, breathable for user comfort.
- Reinforced, rigid knuckle protection.
- Added protection at the base of the fingers.
- Grip extension on the wrists.
- Hook-and-loop fastener.

COLOR SIZES

Black S, M, L, XL, 2XL



PROFESSIONAL TACTICAL HELMET FOR RIOT CONTROL **ARMORING**

Our Tactical Helmet for Riot Control is a lightweight, rugged helmet for police and military forces, for use in demonstrations, riots or prisons. Its high-density Thermos compound, combined with its Lexan polycarbonate mask, offers full head and face protection against almost all non-ballistic threats, such as chemicals, bottles, rocks and other projectiles.

SPECIAL FEATURES:

It meets all NIJ standards

- NIJ 0104.02 (riot)
- NIJ 0105.01 (crash)
- DOT FMVSS-218 (impact retention only) MIL-V-43511C

Extremely comfortable for long-term operations, with EPS (expanded polystyrene) energy-absorbing fibers in all impact areas.

- Quick release harness system. Permanent neck protector.
- Tactical protection mask in Lexan® polycarbonate.
- Compatible with most gas masks.
- Top cover finish with scratch- and tear-resistant treatment.

FACE SHIELD

This helmet features a fully foldable polycarbonate protection mask with excellent optical quality. Its anti-liquid seal, molded in black semi-rigid TPE material, prevents liquid from penetrating from the upper section of the helmet to its interior and the protective mask when engaged.

NECK PROTECTOR

The tactical neck protector is made of high-impact AB material, lined on the inside with padded, impact-absorbing vinyl fabric.

COLOR

Black

SIZES

S) Small/ Medium – 6-3/4" to 7-1/4"

(L) Large/ X-Large – 7-3/8" to 7-7/8" (XXL) XX-Large – 8" to 8-1/8"



BULLETPROOF HELMET **DOYENTRON ARAMID**

Model: ARAMID BULLETPROOF HELMET (MITCH)

Brand: DOYENTRON

Protection Level: IIIA ACCORDING TO STANDARD NIJ 0106.01 AS AMENDED

Manufacturer: Beijing Tongyizhong Specialty Fiber Technology & Development Co., Ltd.

Origin: China.

State-of-the-art bulletproof helmet, especially designed to fulfill the requirements of security forces and international standards. Maximum protection and performance, while also comfortable for the user.

Superb ballistic and impact protection, maximizing user comfort, providing an unobstructed field of vision and hearing.

- Point-based chin strap system with double clasp.
- Compatible with NVD, comms and NBC equipment.
- Manufactured in China with the latest ballistic protection technology.



TECHNICAL SPECIFICATIONS:

- Military suspension pads and 4-point attachment harness.
- Weight without accessories: 1,400 g.
- Made of conventional and special aramids.
- Accessories included:
 - Special Picatinny rails on both sides.
 - Night-vision mount with NVG support and space for IR signaling lights.
 - Velcro in the upper section of the helmet.
 - Detachable ballistic face shield (level IIIA) with an area of 550 cm² and a weight of 1,200 g.
- Model VIGARD-IIIAM.
- Multi-hit technology.
- 22 mm thick.
- Laminated with PMMA and polycarbonate with TPU interlayers.
- Maximum quality of vision with minimal distortion.
- Adjustable and adaptable fasteners.
- Face shield adjustable in 3 positions: fully raised, 45°, engaged.



BALLISTIC SHIELD - TYZ-SHIELD IIIA

BALLISTIC SHIELD

Model: TYZ-SHIELD IIIA. Brand: DOYENTRONTEX.

Manufacturer: Beijing Tongyizhong Specialty Fiber Technology & Development Co., Ltd. Origin: China.

RB3 level of protection as defined in the RENAR standard MA.02 / Level IIIA as defined in the NIJ standard 0108.01.

- Molded with state-of-the-art materials, with curves allowing for great functionality, high performance and enhanced ballistic performance.
- Curved polycarbonate viewport with maximum resistance, high transparency and great durability.
- Highly resistant, horizontal ambidextrous handle.
- 2 high-powered frontal LED lights, with a separate on/off switch for each.
- Tested to the NIJ 0108.01 standard at the Chesapeake Testing Laboratory in the United States.



WOLFCOM 3RD EYE BODY CAMERA **ARMORING**

The Wolfcom 3rd Eye Body Camera is an indispensable multi-purpose, multi-functional tool for police forces, assisting officers in the performance of their duties.

Be it a routine traffic stop, a criminal investigation, evidence gathering or a police pursuit, our Wolfcom 3rd Eye Personal Camera will be present at every step of the procedure.

FEATURES THAT MAKE IT UNIQUE:

- 1080p camcorder with integrated GPS (full HD color recording for 17 hours at up to 60 FPS).
- 16-megapixel camera with GPS (instant photographic evidence with geolocation).
- 120° wide-angle lens.
- Security measures and information protection as required by the standards of the world's major law enforcement agencies.
- Radio communication system integration (replacing speaker and microphone to prevent loading additional equipment).
- One-Touch Record function for instant recording.
- Night vision mode (available for both video and photographs).
- Reverse recording mode.
- Wolfcom Management Software (Wolfcom Management System with Direct Technology GPS).
- GPS geotagging: GPS coordinates stamped on video and photograph files.
- 2" HD screen with instant playback.
- 8x digital zoom in video and photograph modes.
- HDMI output for direct connection to a high-definition TV.



AMBULANCE & SPECIAL VEHICLE DIVISION

MISSION

CONNECT AND PROTECT passengers all over the world everyday by building the most SEPENDABLE and TRUSTED specialty vehicles that deliver the highest levels of PERFORMANCE, DURABILITY AND SAFETY.



PRODUCTS

FIRE AND EMERGENCY



**Fire
Pumper / Custom Pumper / Tanker**
Core fire truck product



Aerial
Core fire truck product with ladder



ARFF
Aircraft Rescue Fire Fighter

PRODUCTS

FIRE AND EMERGENCY



Ambulance Type I
Medium and Light Duty Truck cab and chassis



Ambulance Type II
Based on passenger / cargo vans



Ambulance Type III
Light Duty cutaway van cab and chassis

SPECIALY



Mobility Vehicles
Public transit / paratransit and personal



Sweepers
Surface protection and specialty road construction



Transport
Trailers or containers over short distances

AMBULANCE & SPECIAL VEHICLE DIVISION

OURS PARTNERS

Business

16 automakers are major players in government sales.

16 Qualifications (QVM) – approved in record time.

Already recognized as the best quality in the market for in Latin America:

- Ambulances.
- Patrol Re-educating the market with product certifications – LONG PROCESS.

Evolution

Situation since May 2017.

2017 -Homologation work in all automakers, but over 30 prototypes developed more than 16 accredited OEMs.

2018 – First big orders, CAT for ambulance approved – 120 ambulances SAMU – Certificate ISO 9001 and ISO for Amour units.

2019 – Huge Qty of orders, more than 14,000 units were manufactured, including kits, patrol vehicles, patrol motorcycles, service vehicles and more than 2,800 ambulances.

Kits for Mitsubishi.

Kits for FCA.

Kits for Toyota Brazil.

2020 since – Leader in the market producing over 6.500 units between ambulance, rescues and police cars.



AMBULANCE & SPECIAL VEHICLE DIVISION

OURS PARTNERS

Expertise

Some of our exports since 2014:

Cuba – 413 ambulance Mercedes

Venezuela - 630 ambulance Iveco (System Bairro Adentro)

Argentina – 245 ambulance for Siemens

Paraguay – 179 ambulance Mercedes/Renault

Peru over than 1800 patrol units

Guatemala – 735 patrol units Toyota

Iraq – 58 units for Ministry of Health

Angola – 68 rescues with Ford 4000

Nigeria - truck mobile workshops for Volvo



LEVEL II & LEVEL III AMBULANCES SPRINTER 416 VAN

Technical datasheet

Features of the healthcare compartment


- ✓ Internally lined with washable material, with non-slip floor.
- ✓ Original divider with sliding window for communication.
- ✓ Inner lighting with 3 lamps.
- ✓ Inner ventilation with 2 fans on the front and 2 air extractors on the back.
- ✓ Serum/plasma holder on the roof, next to the stretcher head supports.
- ✓ Electrical connectors for 220 V and 12 V sockets.
- ✓ Power inverter for sockets.
- ✓ Oxygen system (including 2 cylinders) .
- ✓ Triple stand with oxygen flowmeter, humidifier, tubing, mask and aspirator with vial.
- ✓ Large left-side cabinet with acrylic sliding doors on the top, shelf, oxygen cabinet and space for storage of spinal immobilization boards.



LEVEL II & LEVEL III AMBULANCES

SPRINTER 416 VAN

- ✓ Trunk seat with retracting seat belts with 2 buckles for securing third-parties or a second patient.
- ✓ Assistant's seat: anatomical seat, fixed or swiveling, with seatbelts, in synthetic leather.
- ✓ Aluminum stretcher, articulated and with foldable legs.
- ✓ Rescue and salvage board.
- ✓ Wheelchair.
- ✓ Visual and audible indicator CONSISTING of roof bar, siren and speaker for the engine.
- ✓ External work area lights, 1 on each side.
- ✓ Rear loading light in GV LEDs.
- ✓ 3 lights on each side.
- ✓ Second air-conditioning box.



SPECIAL DIVISION - COVID-19

SMART UNIT FOR TEMPERATURE MEASUREMENT AND DISINFECTION

This product is especially intended for measuring human body temperature in public areas and for disinfecting the entire bodies of persons and pets as well as items. It is equipped with a security service room, easy to use outdoors.



FUNCTIONS

- ✓ Reducing the need for epidemic prevention staff.
- ✓ Ensuring staff safety against the epidemic.
- ✓ Preventing cross-infection contact.
- ✓ Improving control speed and temperature measurement.

“Build a line of defense for epidemic control and prevention”

1. Convenient and fast. Fully prefabricated and allowing for flexible transport as required.
2. High-efficiency disinfection. Dual channel disinfection processes, including ultrasound disinfection and physical UV sterilization. Its disinfection rate may reach up to 99.99% according to the result of the on-site disinfection test by SGS.
3. Safe and reliable food-grade no-wash UV disinfection lamp, harmless to the human body.
4. Smart linking can be initiated through smart induction. Staff can conduct centralized management using background data.



Facial recognition: Able to record and collect statistical data on incoming and outgoing staff.



Attendance management: Able to collect statistical data on staff attendance.



Body temperature measurement: Accurate and efficient temperature measurement with the German HEIMANN thermal imaging sensor.



Disinfection by atomization. Food-grade no-wash disinfectant.



The Security Guard station is equipped with a security room in a separate space.

SPECIAL DIVISION - COVID-19**SMART UNIT FOR TEMPERATURE MEASUREMENT AND DISINFECTION****Facial recognition system**

It can distinguish visitors from internal staff and record them. It is compatible with LAN and cloud storage.

Automatic spraying by induction

It is equipped with a microwave sensor able to detect moving objects.

When the entry of persons is detected, the nebulizer machine and UV disinfection lamp are automatically activated, spraying atomized disinfectant into the disinfection channel.

It measures human body temperature through infrared thermal imaging. It features an audible and visual alarm.

With its high-precision thermal imaging temperature sensor, it can perform quick and reliable non-contact body temperature measurements, effectively prevent cross-infection, perform body temperature measurements in real time and extract the maximum value for comparison with the exit signal light and buzzer. Data is collected in the background.


Food-grade no-wash disinfectant

It features a food-grade no-wash disinfectant with benefits such as lasting effect, fully effective sterilization, odorless and harmless to the human body. Its sterilization rate may reach up to 99.99% according to the SGS test result.

Food-grade no-wash disinfectant with a low angle of attack, without contact with human facial organs.

It features a food-grade no-wash disinfectant with benefits such as lasting effect, fully effective sterilization, odorless and harmless to the human body. Its sterilization rate may reach up to 99.99% according to the SGS test result.

As for the spray outlet in the disinfection channel, the angle of attack is designed to be low to prevent discomfort from spraying directly on the human face.



SPECIAL DIVISION - COVID-19

SMART TEMPERATURE MEASUREMENT AND DISINFECTION UNIT

Automatic replenishment function

It is equipped with an ultra-large 15-liter tank for liquids, allowing for the atomization tank to be replenished automatically. This reduces the operators' workload and allows for the unit to be used for over one day without replenishing the disinfectant.

Fast implementation feature

The equipment operates on 220 V AC and its power consumption is below 1,000 W. (If this product is used in countries other than China, users can combine it with electrical components compatible with the local mains voltage.) The unit is simple to install, implement, operate, learn and use. The disinfectant can be easily replenished and emptied.

Alarm for warning about the state of the unit

The unit is able to display different lights for different working states, such as excess temperature and lack of liquid, so the operator is informed in real time about the exact operational state of the unit.

In-channel lighting function

The unit was designed to take into account the use of scenes. The channel is equipped with LED lamps for lighting purposes, so the unit can be conveniently used at night or in dark environments.

FOR ALL KINDS OF PUBLIC LOCATIONS SUCH AS HOSPITALS, SCHOOLS, SUPERMARKETS, SHOPPING MALLS, SCENIC SPOTS, ENTERTAINMENT VENUES, STATIONS, AIRPORTS, SHOPS, FACTORIES, CONSTRUCTION SITES, EXPOS AND HOTELS.



COVID-19 PRODUCTS


The Safety, Disinfection and Hygiene Unit of Armoring Systems makes available to you a list of essential products for care, prevention and aid during epidemics.



PRODUCT NAME	Máscara - KN95
PACKAGING	2 pcs./bag, 12 bags/pack, 36 packs/carton Total: 864 pcs./carton
TOTAL DIMENSIONS	55*49.5*42.8 cm
WEIGHT	5,39 kg
DESCRIPTION	Material: 75 g PE/PP. Tape: PE sealing tape. Packaging specifications: 60 × 40 × 38. 30 pcs. per box. Weight: 9 kg. Size: 160 to 185. CE certifications.



CERTIFICADO



PRODUCT NAME	Sealed protective suit - Blue tape
PACKAGING	30 pcs/carton
TOTAL DIMENSIONS	60*40*38 cm
WEIGHT	9 kg
DESCRIPTION	Material: Non-woven fabric. Product specification: 160 × 110 mm. Filtration effect: N95 / N99. Application range: anti-humidity, anti-formaldehyde, anti-dust, anti-germs. Certifications: FDA, CE.



CERTIFICADO



PRODUCT NAME	Protective suit - Solid color - Seam type: Non-adhesive
PACKAGING	30 pcs/carton
TOTAL DIMENSIONS	60*40*38 cm
WEIGHT	9 kg
DESCRIPTION	Material: 75 g PE/PP. Tape: Seam type, solid color, non-adhesive. Packaging specifications: 60 × 40 × 38. Containing: 30 pcs. per box. Box weight: 9 kg. Measurements: 160 to 185. Certifications: CE.



CERTIFICADO



PRODUCT NAME	Mask - Medical face mask
PACKAGING	10 pcs./bag, 12 bags/pack, 144 bags/carton Total: 1,440 pcs./carton
TOTAL DIMENSIONS	56*46*38 cm
WEIGHT	6.5 kg
DESCRIPTION	Product material: This product features a thickened non-woven fabric. The solution spray fabric is finished when the raw materials are heated by ultrasound and spot welded. Then its edges and straps are wrapped with an automatic face mask machine. Its nose clip design allows for the mask to have a better face fit, adapting to various face contours. In addition, the particle-free ultrasonic sealed edge has increased its comfort. This mask offers relatively good dust resistance. Users will not feel tightness even when using it for a long periods of time. No allergic reaction. No wash, maintenance-free, convenient, practical and safer. Product specifications: 3 layers; 176 × 95 mm. Unit weight: 3 g. Filtration effect: N95 / N99.



CERTIFICADO

COVID-19 PRODUCTS



PRODUCT NAME	Disposable suits
PACKAGING	10 pcs./carton 50 pcs./carton
WEIGHT	2 kg
DESCRIPTION	Material: PP. Sizes: S: Length: 106 cm, chest: 125 cm, sleeve length: 125 cm. M: Length: 110 cm, chest: 130 cm, sleeve length: 130 cm. L: Length: 115 cm, chest: 137 cm, sleeve length: 137 cm. XL: Length: 120 cm, chest: 140 cm, sleeve length: 140 cm. 2XL: Length: 127 cm, chest: 146 cm, sleeve length: 146 cm. Material: Non-woven fabric. Features: Anti-wetting, waterproof, breathable, flexible, resistant, lightweight.



CERTIFICADO



PRODUCT NAME	Medical glasses
PACKAGING	1 pair/box, 0 boxes/carton
TOTAL DIMENSIONS	50*35*39 cm
WEIGHT	9,95 kg
DESCRIPTION	Viewer material: Soft PC. Lens material: Soft PVC. Elastic strap for adjustment. They can be used together with prescription glasses, anti-droplet and anti-dust. Certifications: FDA.



CERTIFICADO



PRODUCT NAME	Latex gloves
PACKAGING	50 pairs/box 10 boxes/carton
TOTAL DIMENSIONS	40*25*23 cm
WEIGHT	7 kg
DESCRIPTION	Material: Nitrile. Sizes: S, M, L, XL, XXL. Performance: Anti-oil, anti-static, anti-acid and alkaline, anti-corrosive.



CERTIFICADO



PRODUCT NAME	Disposable foot covers
PACKAGING	1,000 pairs/box
TOTAL DIMENSIONS	55*43*38 cm
DESCRIPTION	Material: Non-woven fabric. Mesh: Up to 33-45 yards. Measurements: 40 x 15 cm.

COVID-19 PRODUCTS



PRODUCT NAME	Cap - Non-woven fabric
PACKAGING	100 pcs./bag. 1,000 pcs./carton.
DESCRIPTION	Material: PP non-woven fabric. Weight: 10 to 40 g. Size: 54 × 34 cm. Packaging: 100 pcs./bag, 1,000 pcs./carton.



PRODUCT NAME	Disposable bag
DESCRIPTION	Material: Non-woven fabric.

Juan Carlos Cruz 1332, Vicente López, Buenos Aires
Teléfono (5411) 4797-9011
info@armoring.com.ar